

This aromatic extract oil is used in asphalt modification/rejuvenation and rubber compounding. Kendex MNE is produced through solvent extraction of Group I Base Oils.

FEATURES & BENEFITS

- High aromatic content
- Enhances rubber formulations
- Rejuvenates aged asphalt

APPLICATIONS

Rejuvenator/modifier in paving asphalts, DAE in rubber process oils, used as a plasticizer in adhesives and coatings

METHOD	DESCRIPTION	SPECIFICATIONS
		TYPICAL
	LBS/GAL	7.74
D4052	API GRAVITY	20.0
	SPECIFIC GRAVITY	0.927
D2501	VISCOSITY GRAVITY CONSTANT	0.881
D445	VISCOSITY @ 40°C, cSt	50.2
D445	VISCOSITY @ 100°C, cSt	6.7
D2161	VISCOSITY @ 210°F, SUS	49
D2270	VISCOSITY INDEX	81
D5949	POUR POINT, °C (°F)	-30 (-22)
D92	FLASH POINT, COC, °C (°F)	216 (420)
D1218	REFRACTIVE INDEX, 20C	1.51545
D2007	SATURATES, %	45.3
D4530	CARBON RESIDUE, MICRO METHOD wt %	0.3

Mixing with incompatible chemicals may be hazardous. This product is for industrial use only. Safety data sheets are available upon request. No warranties expressed or implied, including patent warranties or warranties of merchantability or fitness for a particular purpose, are made by American Refining Group, Inc., with respect to products described or information set forth herein. Nothing contained herein shall constitute a permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.



amref.com | 814.368.1200

